



METALTECNICA
Italian catering equipment

Trolley



Trolley for trays, double skin frame cap. 16 trays GN-EN heated with 2 doors - dim. 1320x750x1560h mm - 681.AS

Dimension:

Length: 1320.0 mm

Depth: 750.0 mm
 Height: 1560.0 mm
 Weight: 143.0 kg
 Volume: 1.54 mq
 Packaging length: 1480.0 mm
 Packaging depth: 880.0 mm
 Packaging height: 2200.0 mm
 Packaging weight: 153.0 kg
 Packaging volume: 2.87 mq

Options:

Model:
680.AG - Trolley for containers, stainless steel double skin frame, cap. 14 containers GN1/1 heated with 1 door - dim. 770x750x1560h mm
680.AP - Trolley for pans, stainless steel double skin frame, heated, cap. 14 pans 40x60 cm with 1 door - dim. 770x750x1560h mm
680.AS - Trolley for trays, stainless steel double skin frame, cap 8 trays GN-EN heated with 1 door - dim. 770x750x1560h mm
681.AG - Trolley for containers, double skin frame , cap. 28 containers GN1/1 heated with 2 doors - dim. 1320x750x1560h mm
681.AP - Trolley for pans, double skin structure, cap. 28 pans 40x60 cm heated with 2 doors - mm 1320x750x1560h mm
690.AG - Trolley for containers, stainless steel double skin frame, cap. 20 containers GN1/1 heated with 1 door - dim. 770x750x2000h mm
690.AP - Trolley for pans, stainless steel double skin frame, heated, cap. 20 pans 40x60 cm with 1 door - dim. 770x750x2000h mm
690.AS - Trolley for trays, stainless steel double skin frame, cap 12 trays GN-EN heated with 1 door - dim. 770x750x2000h mm
691.AG - Trolley for containers, double skin frame , cap. 40 containers GN1/1 heated with 2 doors - dim. 1320x750x2000h mm

691.AP - Trolley for pans, double skin structure, cap. 40 pans 40x60 cm heated with 2 doors - mm 1320x750x2000h mm

691.AS - Trolley for trays, double skin frame cap. 24 trays GN-EN heated with 2 doors - dim. 1320x750x2000h mm